

Wikiprint Book

Title: DROP_RS field

Subject: HICDEP - Hicdep_1.50/TableLtfu/FieldDropRs

Version: 3

Date: 07/16/17 16:21:14

Table of Contents

| | |
|----------------------|----------|
| DROP_RS field | 3 |
| Coding Table | 3 |

DROP_RS field

containing table

[tblTFU](#)

explanation of variable

IF [DROP_Y](#) = 1, Reason for DROP

format of data

numeric. see [coding table](#) for valid codings.

exists since HICDEP version

[1.30](#)

Coding Table

[Download this table as CSV file](#) [Download this table as XML file](#)

| Code | Reason for Drop Out |
|------|--|
| 0 | Patient was not infected (mainly for children) |
| 1 | Patient lost to follow-up / not known to be dead |
| 2 | Patient has not had visit within required amount of time |
| 2.1 | Patient did not respond to several invitations |
| 3 | Patient moved away |
| 3 | Patient moved to another country |
| 4 | Patient moved and is followed by another centre |
| 5 | Patients decision |
| 5.1 | Patients caretaker wanted to discontinue (for children) |
| 6 | Consent withdrawn |
| 7 | Incarceration/jail |
| 8 | Institutionalisation (drug treatment, psychological ?etc.) |
| 9 | Other |

Note: If consent is withdrawn, all patient data except for the patient id and reason for drop out *may* have to be deleted.